


AUDIO CABLE 14AWG 2 CONDUCTOR STRANDED (41 STRAND) 1000' WOODEN SPOOL

PART NUMBER:
14G-IWSW-2-1K



PG. 1	<input type="checkbox"/> APPROVALS:	<input type="checkbox"/> DATE:	<p>THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO VERTICAL CABLE AND MAY NOT BE DISCLOSED OR TRANSMITTED TO ANY OTHER PARTIES WITHOUT THE EXPRESS WRITTEN PERMISSION OF VERTICAL CABLE. THIS INFORMATION IS PROVIDED FOR THE PURPOSES OF QUOTATION ONLY.</p> 
	MARKETING		
	TECHNICAL		
	SALES		
	FINAL		

TECHNICAL INFORMATION ABOUT THIS PRODUCT:

DESCRIPTION:

TECHNICAL SPECS:

Audio Cable, 14AWG, 2 Conductor, Stranded (41 Strand), 1000', PVC Jacket, Wooden Spool, White

Conductor

Material
Size
Stranding
Strand Dia.

2 Core (Stranded)

Oxygen Free Cooper Wire Strands
14 AWG
41 Strand
0.254 mm

Insulation

Material
Thickness
Diameter

PVC
0.30 mm
2.50 mm

Jacket

Material
Color
Nominal Thickness
Cable Dia.

PVC
White
0.70 mm
6.40 mm

Color of Conductor Jacket

Black
Red

Ripcord

Material

Nylon (150D)

Electrical Performance

Rated Temperature (°C)
Voltage Rating
Reference Standard

75
300V
UL CL3

Marking

E312655 AUDIO CABLE 14AWG 2 COND. 41 STRANDED OXYGEN FREE SUN RES
(UL) C(UL) CMR FT4 CL3 ETL XXXFT

PG.
2

P/N: 14G-IWSW-2-1K

PRODUCT: 14AWG 2C (41 STRAND) AUDIO CABLE


AUTHOR:

DATE: 04/03/07


REV: 01



TECHNICAL DIAGRAM:



WOODEN SPOOL

PG. 3	<input type="checkbox"/> P/N: 14G-IWSW-2-1K	<input type="checkbox"/> PRODUCT: 14AWG 2C (41 STRAND) AUDIO CABLE
	<input type="checkbox"/> AUTHOR:	
	<input type="checkbox"/> DATE: 04/03/07	<input type="checkbox"/> REV: 01
		 WWW.FIREFOLD.COM